

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	20435	cim	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:20
S2	101	"cim" and "cimom"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 17:37
S3	6	"cim" and "cimom" and (creat\$3 same (stor\$3 near object\$1))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 11:54
S4	16	((("20020184360") or ("20030055808") or ("20030093509") or ("6389432") or ("6560591") or ("20020161934") or ("20020107872") or ("6044369") or ("20020013808") or ("20030115296") or ("5890165") or ("6345368") or ("20030037177") or ("6427168") or ("20010027470") or ("20020166002")).PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2006/06/01 12:19
S5	3	((("20040181529") or ("20030220892") or ("20040167975")).PN.	US-PGRUB; USPAT; USOCR	OR	OFF	2006/06/01 12:19
S6	813	"cim" and array\$1	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:22
S7	8	"cim" and array\$1 and "id \$1"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:20

S8	666	"cim" and array\$1 and ((id \$1 or identif\$7)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:22
S9	185	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:23
S10	99	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) and (repeat\$3)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:24
S11	32	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) and (repeat\$3 with process\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:36
S12	3	"cim" and (disk with array \$1) and ((id\$1 or identif\$7) with device\$1) and (repeat \$3 with process\$2)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:49
S13	105	"cim" and "smi"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:47
S14	4	"cim" and "smi" and "srm"	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 15:47
S15	38507	"cim" (((ID\$1 or identif\$7) with (storage\$1 near device \$1)))	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:50
S16	68	"cim" and (((ID\$1 or identif \$7) with (storage\$1 near device\$1))) and (object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:51
S17	29	"cim" and (((ID\$1 or identif \$7) with (storage\$1 near device\$1))) and (storage with object\$1)	US-PGRUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:55

S18	7	"cim" and ((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:58
S19	1011	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 16:59
S20	206	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:01
S21	2	((ID\$1 or identif\$7) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3) and cim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:08
S22	28	((ID\$1) with (storage\$1 near device\$1) with object\$1) and (repeat\$3 with process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/01 17:09
S23	6074	((707/1) or (707/100) or (709/101) or (709/223)). CCLS.	USPAT; USOCR	OR	OFF	2006/06/05 17:35
S24	0	S23 and "cim" and array\$1 and ((id\$1 or identif\$7) with device\$1) and (repeat\$3 with process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:37
S25	5	S23 and "cim" and "cimom"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/05 17:37
S26	6	"cim" and "cimom" and (disk near array\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 17:38
S27	1	("6493719").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:26
S28	1	("6871346").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:33
S29	1	("6862736").PN.	USPAT; USOCR	OR	OFF	2007/06/15 11:33
S30	1	("6003104").PN.	USPAT; USOCR	OR	OFF	2007/06/18 13:40

S31	86	cim with client with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 12:15
S32	75	cim with client with application and single	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 13:13
S33	26	cim with client with application and single with (inquir\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 13:14
S34	26	cim with client with application and single with (inquir\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 14:11
S35	3700	fingerprint with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/13 17:31
S36	27913	("707").CLAS.	USPAT; USOCR	OR	OFF	2008/03/13 17:31
S37	91	S35 and S36	USPAT	OR	OFF	2008/03/13 17:31
S38	2593	disk near array near system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
S39	12	disk near array near system and cim with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
S40	29	disk\$1 with array\$1 and cimom and cim with application	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:29
S41	1	disk\$1 with array\$1 and cimom and cim with application and disk\$1 with array\$1 with (id\$1 or identit\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:29
S42	1	("7062516").PN.	USPAT; USOCR	OR	OFF	2008/12/10 21:00

S43	11	cim with client with (query \$3 or inquire\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:10
S44	7	cim with client with (query \$3 or inquire\$3) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:11
S45	4	cim with client with (query \$3 or inquire\$3) and cimom and storage	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:13
S46	111	cim with client and (query \$3 or inquire\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S47	16	cim with client and (query \$3 or inquire\$3) and storage with (ID\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S48	10	cim with client and (query \$3 or inquire\$3) and storage with (ID\$1 or ident\$6) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:26
S49	4	storage with level\$1 with cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:31
S50	8	storage with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:32
S51	28	storage with level\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:32

S52	8	{storage or disk\$1} with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S53	8	{storage or disk\$1} with level\$1 same cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S54	39	{storage or disk\$1} with level\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:44
S55	6	{storage or disk\$1} with level\$1 and cimom with entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:45
S56	27	{"20020013808" "20020087671" "20020103889" "20020107872" "20020112043" "20020184360" "20030055808" "20030055809" "20030055933" "20030055943" "20030093501" "20030093509" "20030115296" "20040243699" "6044369" "6266679" "6286013" "6345368" "6389432" "6427168" "6560591" "6697924" "6769022" "6912537" "7043738" "7191358" "7257103").PN. OR ("7500000").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/23 18:46
S57	0	cimom with entit\$3 same (parent child)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49

S58	0	cimom with entit\$3 same (parent or child)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S59	1	cimom with entit\$3 same (parent or child or level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S60	1	cimom with entit\$3 same (parent or child or level\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S61	1	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:49
S62	7	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1 or components)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:50
S63	7	cimom with entit\$3 same (parent or child or level\$1 or subcomponent\$1 or component\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/23 18:50
S64	1	("6317748").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/23 19:12
S65	6	cim with client and storage with (hierarch\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:33
S66	7	cim with client and storage with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:33

S67	26039	storage with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:35
S68	587	storage with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:36
S69	152	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:37
S70	69	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:37
S71	19	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:38
S72	93	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) and relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:40
S73	6	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) and information with (hierarch\$6 or tree\$1) and relationship\$1 with storage with (entit\$3 or device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:41

S74	2	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6) and information with (hierarch \$6 or tree\$1) and relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:42
S75	9	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6) and information with (hierarch \$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:42
S76	11	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:45
S77	336	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S78	159	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) same information	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S79	18	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) same (information with relation \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:46
S80	135	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:48

S81	27	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5) same (parent with child)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:48
S82	27	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (id \$1 or identit\$6) and (information with relation \$5) same (parent\$1 with child\$3)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:49
S83	479	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S84	78	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S85	9	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6) and relationship\$1 with (device \$1 or disk or raid)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:54
S86	187	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6)	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:57
S87	113	storage with (device\$1 or disk or raid) with (hierarch \$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identit\$6) and relationship\$1	US-PGRUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:57

S88	53	storage with (device\$1 or disk or raid) with (hierarch\$6 or tree\$1) and (parent or root or top\$level) with (device\$1 or disk or raid) with (id\$1 or identi\$6) and relationship\$1 with (device\$1 or disk or raid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 14:58
S89	6503	storage with (device\$1) with (hierarch\$6 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:11
S90	122	storage with (device\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or identi\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:12
S91	29	storage with (device\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or identi\$6) and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:13
S92	3	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or identi\$6) and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:17
S93	12	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with device\$1 with (id\$1 or identi\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:18
S94	157	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage\$1 with (id\$1 or identi\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:18
S95	12	storage with (pool\$1 or disk\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (pool\$1 or disk\$1) with (id\$1 or identi\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:19

S96	1687	{storage or server or databases or disk\$1 or raid} with (hierarch\$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:27
S97	274	{(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:28
S98	4	{(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:28
S99	0	{(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:30
S100	62	{(server or databases or disk \$1 or raid) with (hierarch \$6 or tree\$1) and (parent or root) with (storage or server or databases or disk \$1 or raid) with (id\$1 or ident\$6) and relationship\$1 with information with (server or databases or disk \$1 or raid) same (parent child)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:30

S101	15	("20030046260" "20060095698" "5495607" "5649196" "5673382" "5819020" "6021415" "6151602" "6366987" "6487561" "6594744" "6820099" "6829617" "6850945" "7069401").PN. OR ("7366742").URFN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/29 15:35
S102	133	storage with (node\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (node\$1) with (id\$1 or ident\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:43
S103	31	storage with (node\$1) with (hierarch\$6 or tree\$1) and (parent or root) with storage with (node\$1) with (id\$1 or ident\$6) and relationship\$1 with storage \$1 with node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:44
S104	12	storage with (node\$1) with (hierarch\$6 or tree\$1) and (quer\$4 or request\$3 or inquir\$3) with information with (parent or root) with storage with node\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:47
S105	18	storage with (node\$1 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$4 or request\$3 or inquir\$3) with information with (parent or root) with storage with (node\$1 or device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 15:49
S106	1	("20040181529").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:08
S107	2	((("20040167975") or ("20030154404")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:18
S108	1	("7043732").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:24
S109	2	((("20020108102") or ("6854122")).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/29 18:29
S110	60	cim same cimom same storage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:31
S111	28	cim same cimom same storage same device\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:31

S112	4291	(hierarch\$6) with storage with (device\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:36
S113	87	(hierarch\$6) with storage with (device\$1) with identifier	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:37
S114	42	(hierarch\$6) with storage with (device\$1) with identifier and relationship \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 18:37
S115	29575	manag\$3 with storage with device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:38
S116	200	manag\$3 with storage with device\$1 and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:38
S117	54	manag\$3 with storage with device\$1 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:39
S118	5	manag\$3 with storage with device\$1 and cimom and storage with device\$1 with level\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:39
S119	5	manag\$3 with storage with device\$1 and cimom and storage with device\$1 with (level\$1 or hierarch\$4 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41
S120	41	manag\$3 with storage with device\$1 and cimom and (level\$1 or hierarch\$4 or tree\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41

S121	2	manag\$3 with storage with device\$1 and cimom and (level\$1 or hierarch\$4 or tree\$1) same relationship \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:41
S122	1091561	obtain\$3 with information with storage entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:56
S123	212	obtain\$3 with information with storage with entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S124	4	obtain\$3 with information with storage with entit\$3 and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S125	2	obtain\$3 with information with storage with entit\$3 and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:57
S126	7	obtain\$3 with information with storage with entit\$3 and parent\$1 with child\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 22:58
S127	7	obtain\$3 with information with storage with entit\$3 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:01
S128	9	(obtain\$3 with information with storage with entit\$3) same relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:02
S129	7776995	obtain\$3 wiith information with storage\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:08

S130	7581342	obtain\$3 wiith information with storage\$1 with device \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:08
S131	7479734	obtain\$3 wiith information with storage\$1 with device \$1 and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:09
S132	927	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:09
S133	517	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S134	270	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S135	279	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10
S136	279	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1 or child \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:10

S137	174	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:11
S138	3	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:12
S139	1	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:15
S140	17	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with (root or parent or top \$level)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/29 23:16
S142	2	"20020054090"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/30 12:44
S143	2	((("20020054090") or {"6721727"}).PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/30 12:45

S144	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3 and smi\$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:03
S145	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3 and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:04
S146	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:05
S147	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with (pool\$1 or disk\$1 or array or raid\$1) and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:06
S148	0	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with (pool\$1 or disk\$1 or array or raid\$1) and \$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:06
S149	125	\$bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:07

S150	13	\$bluefin and device\$1 with (pool\$1 or disk\$1 or array or raid\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:07
S151	20	\$bluefin and (pool\$1 or disk \$1 or array or raid\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:09
S152	11	("20040054866" "20040085347" "20040243945" "20050108375" "20060015879" "20060206678" "6748553" "6785695" "6802025" "6820214" "7181578").PN. OR ("7328325").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2009/07/31 14:11
S153	7	SMI near2 bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35
S154	7	SMI same bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35
S155	7	SMI and bluefin	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:35
S156	76	obtain\$3 with information with storage\$1 with device \$1 and device\$1 with relationship\$1 and device \$1 with ident\$6 and device \$1 with (component\$1 or sub\$component\$1or child \$3) and device\$1 with (pool \$1 or disk\$1 or array or raid \$1) and device\$1 with proper\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/31 14:45
S157	1	("6633870").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/31 15:58
S158	1	("20070043700").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/07/31 16:02

S159	64	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) and (repeat\$3 with process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:22
S160	6	"cim" and array\$1 and ((id \$1 or identif\$7) with device \$1) same relation\$5 and (repeat\$3 with process\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 18:23
S161	32	cim with client with application and single with (inquir\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 20:12
S162	6	(storage or disk\$1) with level\$1 and cimom with entit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 20:22
S163	12	storage with (entit\$3 or device\$1) with (hierarch\$6 or tree\$1) and (quer\$3 or inquir\$3) with (parent or root or top\$level) with (id \$1 or identit\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 20:30
S164	29191	((707/1-3,9) or (707/100,101,102) or (709/223-226)).CCLS.	USPAT; USOCR	OR	OFF	2009/12/04 20:42
S165	9	S164 and S161	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/04 20:42
S166	112	((LAMB near MICHAEL) or (MCCRICKARD near EDWARD) or (SWANK near RAYMOND) or (WEBSTER near KEVIN) or (WILLGING near TIMOTHY))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 13:12
S167	12	((LAMB near MICHAEL) or (MCCRICKARD near EDWARD) or (SWANK near RAYMOND) or (WEBSTER near KEVIN) or (WILLGING near TIMOTHY)) and cim	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 13:13
S168	9	((LAMB near MICHAEL) or (MCCRICKARD near EDWARD) or (SWANK near RAYMOND) or (WEBSTER near KEVIN) or (WILLGING near TIMOTHY)) and cim and cimom	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 13:13

S169	9	((LAMB near MICHAEL) or (MCCRICKARD near EDWARD) or (SWANK near RAYMOND) or (WEBSTER near KEVIN) or (WILLGING near TIMOTHY)) and cim and cimom	US-PGPUB; USPAT; USOCR; PPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/05 13:23
------	---	--	---	----	----	---------------------

EAST Search History (Interference)

< This search history is empty >

12/ 5/ 2009 2:08:04 PM**C:\ Documents and Settings\ usaeed\ Desktop\ East work Spaces\ 10739228.wsp**